

SWISS
PLASTIC
SURGERY

SWISS
AESTHETIC
SURGERY



61st Annual Meeting
Swiss Plastic Surgery

13th Annual Meeting
Swiss Aesthetic Surgery

03. – 04. 10. 2025 // Palazzo dei Congressi, Lugano

PRELIMINARY PROGRAM

THE PAST, THE PRESENT AND THE FUTURE - FACE-TO-FACE

Facial Aesthetic <-> Facial Reconstruction; Head and Neck Tumors and Trauma
Breast Aesthetic <-> Breast Reconstruction
Orthoplastic Surgery, Hand Surgery and Transplantation

GALDERMA

GO BEYOND

mit relfydess™

toxinum botulinicum A

© 2024 Galderma. Alle Rechte vorbehalten.

Keine tatsächliche Patientin.

Relfydess™

Z: Botulinumtoxin Typ A (150 kD) aus Clostridium botulinum (Stamm I01). Hilfsstoffe: Dinatriumhydrogenphosphat-Dihydrat, Natriumdihydrogenphosphat-Dihydrat, Kaliumchlorid, Natriumchlorid, L-Tryptophan, Wasser für Injektionszwecke. **I:** Angewendet zur vorübergehenden Verbesserung des Erscheinungsbildes von mittelstarken bis starken Glabellafalten bei maximalem Stirnrunzel und mittelstarken bis starken seitlichen Canthallinen bei maximalem Lächeln, allein oder in Kombination, bei erwachsenen Patienten unter 65 Jahren, wenn das Ausmass dieser Falten eine erhebliche psychische Belastung für den Patienten darstellt. **D:** Die empfohlene Dosis für die Behandlung von Glabellafalten beträgt 50 Einheiten/0,5 ml (10 Einheiten/0,1 ml pro Injektion) in jede von 5 intramuskulären Injektionsstellen und für die Behandlung der lateralen Canthalalten 60 Einheiten/0,6 ml (10 Einheiten/0,1 ml in jede von 6 intramuskulären Injektionsstellen). Für die Kombinationsbehandlung von Glabellafalten und seitlichen Canthalalten sollte die jeweilige Einzeldosierung und -verabreichung für eine Gesamtdosis von 110 Einheiten/1,1 ml von 1 befolgt werden. **K:** Überempfindlichkeit gegen den Wirkstoff oder einen genannten Hilfsstoff. Infektionen an der vorgesehenen Injektionsstelle, Vorliegen von Myasthenia gravis, Eaton-Lambert-Syndrom oder amyotropher Lateralsklerose. **VM:** Relfydess™ nicht in ein Blutgefäß injizieren. Bei Patienten, die mit therapeutischen Dosen behandelt wurden, kann eine übersteigerte Muskelschwäche auftreten. Patienten oder pflegende Personen sollten darauf hingewiesen werden, dass sofort ein Arzt bzw. eine Ärztin zu verständigen ist, wenn Schluck-, Sprech- oder Atemstörungen auftreten. Relfydess™ ist bei Patienten mit einem Risiko für oder mit klinisch nachgewiesener gestörter neuromuskulärer Reizleitung mit Vorsicht anzuwenden. Gesichtssymmetrien, Ptosis, übermäßige Dermatochalasis, Vernarbungen und irgendwelche aufgrund früherer chirurgischer Eingriffe entstandene anatomische Veränderungen sollten berücksichtigt werden. Relfydess™ sollte nur mit Vorsicht angewendet werden bei Entzündung der vorgesehenen Injektionsstelle(n) oder bei ausgeprägter Schwäche oder Atrophie des zu injizierenden Muskels. Eine Behandlung mit Relfydess™ bei Patienten mit verlängerter Blutgerinnungszeit wird nicht empfohlen. Injektionen in kürzeren Abständen oder mit zu hohen Dosierungen können das Risiko einer Antikörperbildung gegen Botulinumtoxin erhöhen. Es besteht ein potenzielles Risiko für eine lokalisierte Muskelschwäche, Sehstörungen, Schwindel, eine generalisierte Asthenie oder Müdigkeit im Zusammenhang mit der Anwendung dieses Arzneimittels, die die Fähigkeit zum Führen eines Fahrzeugs oder zum Bedienen von Maschinen vorübergehend beeinträchtigen können. **IA:** Die gleichzeitige Behandlung mit Relfydess™ und anderen Botulinumtoxin-Produkten, Aminoglykosiden oder anderen Arzneimitteln, die auf die neuromuskuläre Reizleitung wirken (z.B. Curare-ähnliche Wirkstoffe), Anticholinergen Medikamenten und Muskelrelaxantien sollte nur mit Vorsicht erfolgen, da die Wirkung von Relfydess™ potenziert werden kann. **UAW:** häufig: Kopfschmerzen, Ptose der Augenlider, Blutergüsse an der Injektionsstelle gelegentlich: Augenbrauen Ptose, Muskelschwäche, Schmerzen an der Injektionsstelle **SS/ST:** Relfydess™ soll während der Schwangerschaft und bei Frauen im gebärfähigen Alter, die nicht verhüten, und in der Stillzeit nicht angewendet werden. **P:** Packungen mit 1 oder 10 Durchstechflaschen(n) à 150 Einheiten. **Liste A, Zulassungsinhaberin:** Ipsen Pharma Schweiz GmbH, 6300 Zug, Schweiz. **Auslieferung:** Galderma SA, CH-6300 Zug. Weiterführende Informationen unter www.swissmedicinfo.ch. **Stand:** Oktober 2024

▼ Dieses Arzneimittel unterliegt einer zusätzlichen Überwachung. Für weitere Informationen, siehe Fachinformation Relfydess™ auf www.swissmedicinfo.ch.



Thursday, 2 October 2025

09:00 – 17:25	Trainees Academy
Sala B1	
09:00	Welcome
09:05	Principles of reconstructive surgery <i>Mihai Constantinescu, Bern</i>
09:50	Nerve management of the upper extremity <i>Martina Greminger, St. Gallen</i>
10:35 – 10:55	Coffee Break
11:00	Mummy Makeover and secondary corrections after aesthetic breast surgery <i>Martino Meoli, Lugano</i>
11:45	Treatment algorithm in nose reconstruction <i>Martin Haug, Basel</i>
12:30	Secondary burn reconstruction especially in head and neck <i>Bong-Sung Kim, Zurich</i>
13:15 – 14:15	Lunch Break
14:20	Junior Commission Meeting
14:45	Residents EBOPRAS - Cases Superbowl Jury: Sören Köneker (Zurich), Tarek Ismail (Basel), Joachim Meuli (Lausanne)
15:30 – 15:55	Coffee Break
16:00	EBOPRAS cases in groups (6x8' of mock exam + 2' feedback) <i>Mihai Constantinescu, Bern</i> <i>Yves Harder, Lausanne</i> <i>Martin Haug, Basel</i> <i>Bong-Sung Kim, Zurich</i> <i>Jan A. Plock, Aarau</i> <i>Dirk J. Schaefer, Basel</i>
17:20	Closing remarks
17:30	Apéro Trainees Academy Villa Ciani <i>sponsored by esthetic med</i>



Preservé™



A new era in
Breast Tissue
Preservation

PROGRAM OVERVIEW



Friday, 3 October 2025

	Atrio PT	Plenary Sala A	Sala B1
08:00		Registration	
09:00		Free Communications Orthoplastic Surgery & Hand Surgery	
10:30	Poster Session 1	Coffee Break in the Industry	
11:00		Free Communications Breast aesthetics	Symposium Kerecis Switzerland AG
12:30	Poster Session 2	Lunch Break in the Industry Exhibition	
13:45		Free Communications Breast reconstruction	Symposium IMDA SA
15:30		Coffee Break in the Industry Exhibition	
16:00		Free Communications Facial reconstruction & Head & Neck	Symposium IBSA SA
17:15		Special Lecture	
17:45		General Assembly Swiss Plastic Surgery	
19:00			
19:15		Boat transfer & Networking Dinner Hotel Romantica in Melide	



Friday, 3 October 2025

09:00 – 10:30	Free Communications Orthoplastic Surgery & Hand Surgery Chairs: Volker Schmidt (St. Gallen), Cédric Zubler (Bern)
09:00 (4+2)	Pilot study on artificial intelligence image analysis for lower-limb reconstruction: Assessing ChatGPT-4's recommendations in comparison to board-certified plastic surgeons and resident physicians <i>S. A. Graul¹, M.-A. Pais^{2,3}, R. Loucas⁴, T. Rohrbach⁵, S. Leitsch¹, T. Holzbach¹ (¹Frauenfeld, ²Bern, ³Ludwigshafen, ⁴Regensburg, ⁵Wollongong)</i>
09:06 (4+2)	A novel flap selection algorithm for limb reconstruction <i>J. R. Schnegg, F. J. Jung, A. R. Jandali, A. Franchi (Winterthur)</i>
09:12 (6+3)	Do muscular flaps still have a role in lower limb reconstruction? A "face-to-face" comparison with fasciocutaneous flaps in foot and ankle reconstruction <i>M. Meroni, E. Fritzsche, R. Schweizer (Lucerne)</i>
09:21 (6+3)	Factors predicting soft tissue reconstruction in periprosthetic knee joint infection: A retrospective binary logistic regressional analysis <i>J. Gregori, S.-C. Müller, P. Pfister, R. Osinga, M. Clauss, M. Morgenstern, R. Kühl, D. J. Schaefer (Basel)</i>
09:30 (4+2)	Single-stage arteriovenous loop for reconstruction of soft tissue defects following lower limb trauma: A case series <i>R. Lorenzini, R. Tunisi, R. Wenger, A. Lardi (Chur)</i>
09:36 (6+3)	Enhancing patient experience during postoperative bed rest following lower extremity free flap reconstruction: A retrospective survey study <i>L. G. Dietrich, C. Bisch, C. Zubler (Bern)</i>
09:45 (4+2)	3D-guided osteotomy in the surgical management of sacral chordomas: A case series <i>C. Vorbeck, D. Müller, J. Spirig, M. Farshad, A. Hasler (Zurich)</i>
09:51 (4+2)	The "crater" method in artery-only fingertip replantation in zone Tamai I. The gold standard? <i>S. Ricca, M. Meroni, E. Frey, S. Schmitt, E. Fritzsche (Lucerne)</i>
09:57 (4+2)	Dorsoulnar reverse flow pedicled osseous flap for bone defects of the thumb <i>R. Pasini, C. Parodi, D. Schmauss, D. Tosi (Lugano)</i>
10:03 (6+3)	In vivo comparison of trapeziectomy and CMC-I prosthesis: Patient preferences and functional outcomes <i>L. G. Dietrich¹, K. Silins¹, U. Genewein², I. Berner², E. Vögelin¹ (¹Bern, ²Rheinfelden)</i>
10:12 (6+3)	Vascularized osteocutaneous fibula flap for clavicular reconstruction: A reliable option for complex bony defects <i>A. Alexoudis, C. Zubler, R. Olariu (Bern)</i>



10:35 – 11:00	Poster Session 1 Orthoplastic Surgery & Hand Surgery Chairs: Athanasios Papanikolaou (Bern), Robert Wenger (Chur)
Industry Exhibition Poster-Station 1	
10:35 (3+2)	Negative pressure wound therapy versus conventional dressing in lower limb fractures: Systematic review and meta-analysis <u>A. Silva Alves, J. Martineau, M. Scampa, D. F. Kalbermatten, C. M. Oranges (Geneva)</u>
10:40 (3+2)	Split pedicled gastrocnemius flap for 3D knee defect: A spare-part concept <u>J. Alex John, M. Tremp, T. Henkel (Cham)</u>
10:45 (3+2)	Why complicate things when they can be simple? Case series and systematic review on the reconstruction of full-thickness heel defects <u>A. Cavin, J. Brühlmann, Y. Harder (Lausanne)</u>
10:50 (3+2)	A systematic review and meta-analysis of the sensitivity and efficacy of indocyanine green fluorescence dye in sarcoma resections <u>A. Hasler, M. Sama, D. Müller (Zurich)</u>
10:55 (3+2)	Experimental models and perfusion assessments in vascularized bone grafts: A systematic review <u>M. Wölffer, R. Olariu, C. Zubler (Bern)</u>
10:30 – 11:00	Coffee Break in the Industry Exhibition
11:00 – 11:30	Symposium Kerecis Switzerland AG
Sala B1	
11:00 – 12:30	Free Communications Breast aesthetics Chairs: Patricia Roggero (Lausanne), Holger J. Klein (Zurich)
Plenary Sala A	
11:00 (6+2)	Tuberous breast: Always a challenge for the plastic surgeon <u>F. Mayo (Zurich)</u>
11:08 (4+2)	Morphometric changes after superomedial pedicle wise-pattern reduction mammoplasty: What do we plan and where do we end up? <u>A. Macek, M. A. Pais, S. Graul, R. Loucas, S. Leitsch, T. Holzbach (Frauenfeld)</u>
11:14 (4+2)	Enhancing aesthetic outcomes in reduction mammoplasty: Lateral limb elongation and medialized T-Junction closure <u>P. Wittlin, A. M. Lardi (Chur)</u>
11:20 (6+2)	One-stage combined augmentation-mastopexy with implants <u>R. Fakin (Zurich)</u>
11:28 (4+2)	The role of montelukast in the prevention and treatment of capsular contracture (Baker Grade III-IV): A meta-analysis and case series <u>M. Tremp^{1,2}, C. Baron², A. Thürlimann³, C. M. Oranges⁴, P. Montemurro⁵, D. Kalbermatten⁴ (¹Cham, ²Basel, ³Solothurn, ⁴Geneva, ⁵Stockholm, SE)</u>



11:34 (6+2)	Inner bra technique with P4HB Scaffold for enhanced tissue support V. Hürlimann (Zurich)
11:42 (6+2)	ADM and synthetic meshes to correct implant-related bottoming out and ptosis <u>L. Rodriguez</u> ¹ , M. Constantinescu ¹ , D. Erni ² (¹ Bern, ² Küssnacht bei Rigi)
11:50 (6+2)	The role of synthetic meshes in revision surgery after breast augmentation: A personal case series <u>I. Zucal</u> ¹ , E. Cresta ² , L. De Pellegrin ³ , A. Weinzierl ⁴ , Y. Harder ¹ (¹ Lausanne, ² Lugano, ³ Bern, ⁴ Zurich)
11:58 (6+2)	Cost burden of post-surgical complications caused by aesthetic surgery abroad: A two-center experience <u>S. Andreoli</u> ¹ , G. Fischer ² , C. Parodi ² , D. Schmauss ² , K. Danuser ¹ , T. Holzbach ² , Y. Harder ³ (¹ Frauenfeld, ² Lugano, ³ Lausanne)
12:06 (4+2)	Systemic complications of silicone breast implants: Two rare cases of Autoimmune Syndrome Induced by Adjuvants (ASIA) <u>A. Labouchère</u> ¹ , Y. Harder ¹ , W. Raffoul ² (¹ Lausanne, ² Morges)
12:12 (4+2)	BIA-ALCL in aesthetic and reconstructive breast surgery: Patients' preferences after implant removal <u>J. Hughes</u> ¹ , V. Grufman ¹ , D. Babst ¹ , S. Renditore ¹ , V. Hürlimann ¹ , B. Pompei ² , J. Farhadi ¹ (¹ Zurich, ² Lugano)
12:18	Round Table Breast implants complications Moderation: E. Neuenschwander (Zurich), P. Roggero (Lausanne) Participants: J. Hughes (Zurich), A. Labouchère (Lausanne)

12:30 – 13:45 Lunch Break in the Industry Exhibition

12:45 – 13:45	Poster Session 2
Industry Exhibition: Poster-Station 1	Facial reconstruction, Head & neck & Free Communications Chairs: Marina Barandun (Aarau), Tarek Ismail (Basel)
12:45 (3+2)	Julius von Szymanowski's legacy: The H-plasty for forehead skin defects <u>E. Frey</u> , E. Kulakli-Inceleme, D. Winterholer, E. Fritsche (Lucerne)
12:50 (3+2)	Functional total lip reconstruction with free neurotized musculocutaneous serratus flap: A case report <u>M. Scampa</u> , C. Dogny, I. Petrou, D. F. Kalbermatten, D. André-Lévine (Geneva)
12:55 (3+2)	Global variation in patient-reported outcome measures after microsurgical head and neck reconstruction: Discrepancies amongst surgical disciplines <u>P. Pfister</u> ¹ , J. Stoffel ¹ , M. Perrin ¹ , E. C. Minger ¹ , C. Appenzeller-Herzog ¹ , F. S. Halbeisen ¹ , L. Seifert ¹ , D. Bodmer ¹ , L. Muller ¹ , M. Burger ¹ , R. D. Largo ² , T. Ismail ¹ , E. A. Kappos ¹ (¹ Basel, ² Houston Texas, US)



13:00 (3+2)	Single versus dual innervation in facial palsy reanimation with free functional muscle transfers: A systematic review and meta-analysis <u>A. S. Brader</u> ¹ , J. Leckenby ² , A. Grobbelaar ¹ , C. Zubler ¹ (¹ Bern, ² Rochester, US)
13:05 (3+2)	The role of flow couplers in free flap monitoring: Evidence from a systematic review <u>L. De Pellegrin</u> , L. G. Dietrich, C. Zubler, I. Lese (Bern)
13:10 (3+2)	Patients in need for reconstructive surgery in sub-Saharan Africa: Estimating the unmet surgical burden <u>C. Dogny</u> , P. Quinodoz, S. Rodriguez Velásquez, M. Scampa, O. Kaiser, D. F. Kalbermatten, D. André-Lévigne (Geneva)
13:15 (3+2)	Exploring the role of artificial intelligence in lymphedema management: An international multidisciplinary evaluation of its safety, reliability and impact on decision-making <u>A. Fabi</u> ¹ , C. Egli ¹ , <u>O. P. Williams</u> ¹ , S. R. Wendelspiess ¹ , S. Griewing ² , Y. Haas ¹ , S. S. Qiu ³ , Y. Harder ⁴ , D. J. Schaefer ¹ , E. A. Kappos ¹ (¹ Basel, ² Marburg, DE, ³ Maastricht, NL, ⁴ Lausanne)
13:20 (3+2)	Lymphatic surgery to improve brain function: Preclinical and clinical evidence and potential robotic applications <u>N. Lindenblatt</u> , J. A. Watson, S. Humer, S. Knoedler, D. von Reibnitz, C. E. Zurfluh, C. Imholz, G. Esposito, S. J. Schreiner, E. Gousopoulos, A. Cai, P. Giovanoli, C. Baumann, S. Kollarik (Zurich)
13:25 (3+2)	Robotic-assisted lymphovenous anastomosis to treat periorbital lymphedema and systematic review of lymphatic reconstruction of face and neck lymphedema <u>C. Imholz</u> , C. Schaller, J. A. Watson, C. E. Zurfluh, A. Grigorean, N. Lindenblatt (Zurich)
13:30 (3+2)	Vascularized lymph node transfer (VLNT) for upper and lower extremity lymphedema: A practical algorithm for ideal donor and recipient site selection <u>L. Rahner</u> ¹ , A. Fabi ¹ , V. A. Müller ¹ , S. R. Wendelspiess ¹ , Y. Haas ¹ , J. Stoffel ¹ , F. S. Halbeisen ¹ , B. P. Müller ¹ , C. Kettelhack ¹ , D. J. Schaefer ¹ , B. Vaselli ² , B. Aufmesser-Freyhardt ² , H.-J. Meier ² , C. Franke ² , C. Andree ² , K. Seidenstuecker ² , E. A. Kappos ¹ (¹ Basel, ² Düsseldorf, DE)
13:35 (3+2)	Proximal tibial nerve entrapment: A rare surgical emergency not to be missed <u>S. Jolliet</u> , C. Schaffer, Y. Harder, S. Durand (Lausanne)
13:40 (3+2)	Reimbursement policies of Swiss health insurances for the surgical treatment of symptomatic abdominal tissue excess after massive weight loss: A retrospective cohort study <u>V. Pruzzo</u> ¹ , F. Bonomi ¹ , L. Guggenheim ² , A. Navarra ³ , D. Schmauss ² , R. Wettstein ⁴ , Y. Harder ⁵ (¹ Mendrisio, ² Lugano, ³ Aarau, ⁴ Basel, ⁵ Lausanne)



13:45 – 14:15	Symposium IMDA SA
Sala B1	
13:45	Broad-spectrum benefits of recombinant enzymes in surgical practice <i>Svetlana Korkunda, Kharkiv (UA)</i>
13:45 – 15:30	Free Communications Breast reconstruction
Plenary Sala A	<i>Chairs: Doris Babst (Zurich), Hisham Fansa (Zollikerberg)</i>
13:45 (20)	Lipofilled mini dorsi flap: A new approach in breast reconstruction <i>Jean Marc Piat (Strasbourg, FR)</i>
14:05 (6+2)	Envelope preservation mastectomy with immediate reconstruction: My lessons learned <i>T. Fischer (Bern)</i>
14:13 (6+2)	First experience from 200 cases with a new breast tissue expander for multi-stage pre-pectoral breast reconstruction after mastectomy <i>E. Limido^{1,2}, F. Bonomi^{1, 2}, L. Guggenheim¹, N. Peradze¹, C. Parodi¹, D. Schmauss¹, A. Weinzierl³, Y. Harder⁴</i> (¹ Lugano, ² Homburg, DE, ³ Zurich, ⁴ Lausanne)
14:21 (6+2)	Prepectoral breast reconstruction: Total ADM-coverage of implants versus polyurethane-coated implants without ADM. Early and long-term complications and outcomes <i>M. Barbera, M. Salgarello, G. Visconti, L. Barone Adesi, G. Franceschini, L. Scardina, A. Di Leone (Rome, IT)</i>
14:29 (6+2)	Repeated autologous fat grafting significantly increases mastectomy flap thickness in pre-pectoral multi-stage composite expander-to-implant breast reconstruction: Exploring the concept of a reverse expansion <i>L. Costa^{1,2}, A. Weinzierl³, S. Andreoli², S. Schiaffino², C. Catanese², Y. Harder¹</i> (¹ Lausanne, ² Lugano, ³ Zurich)
14:37 (4+2)	Enhanced visualization of the intramuscular course of perforator arteries in CT angiography using sublingual glyceryl trinitrate for preoperative planning of deep inferior epigastric perforator flaps <i>H. V. Riedmann, P. M. Walczyszyn, P. R. Knüsel, R. Wenger, A. M. Lardi (Chur)</i>
14:43 (6+2)	The SCIP and SIEA flaps as the first choice in autologous breast reconstruction <i>A. Franchi, L. Patanè, A. R. Jandali, F. Jung (Winterthur)</i>
14:51 (6+2)	Experience with 524 microsurgical breast reconstructions: A retrospective analysis <i>C. Müller¹, A. Werner², M. Pelzer², C. Czermak² (¹Pully, ²Heidelberg, DE)</i>
14:59 (6+2)	Good flaps go to heaven, bad flaps go back to surgery: The fine line between fat necrosis and flap loss <i>B. Pompei¹, J. Farhadi², V. Grufman², D. Babst², S. Renditore² (¹Lugano, ²Zurich)</i>



15:07 (4+2)	Postoperative complications in breast reconstruction with deep inferior epigastric perforator flap: Looking for evidence <i>P. G. di Summa¹, G. Sapino¹, S. Giordano², N. Koch³, W. Raffoul³, K. Remy⁴</i> (¹ Lausanne, ² Turku, ³ Morges, ⁴ Boston, US)
15:13 (4+2)	Inpatient vs. outpatient settings for secondary procedures following breast reconstruction: A retrospective cohort analysis <i>A. Kucinskaite, A. Tschanz, V. Grufman, J. Farhadi (Zurich)</i>
15:19 (4+2)	Fewer surgeries, better aesthetics: Immediate LICAP flap reconstruction outperforms delayed lipofilling after breast-conserving surgery <i>J. Tartanus, S. Leitsch, E. Siri, T. Holzbach (Frauenfeld)</i>

15:30 – 16:00 Coffee Break in the Industry Exhibition**16:00 – 16:30 Symposium IBSA SA**

Sala B1

15:00	Prophilo® and Prophilo® Structura: A multilayer approach for facial rejuvenation Rosalia Luketina, Zurich
-------	---

16:00 – 17:10 Free Communications**Facial reconstruction & Head & Neck**
Chairs: Ioana Lese (Bern), TBC| 16:00 (6) | **The rise of non-plastic surgeons in reconstructive microsurgery: Challenges & reflections** *M. Vasella^{1, 2}, B.-S. Kim¹ (¹Zurich, ²Melbourne, AU)* |
16:06 (6+2)	**Facial reanimation in Moebius syndrome: A 25-year experience of treating bilateral facial paralysis** *P. Panzenbeck^{1, 2}, C. Zubler^{1, 3}, E. de Buitléir³, J. I. Leckenby^{3, 4}, A. O. Grobelaar^{1, 3} (¹Bern, ²Frauenfeld, ³London, UK, ⁴Rochester, US)*
16:14 (4+2)	**Nasolabial flap modifications and other options in nasal ala reconstruction** *O. Scheufler¹, J. R. Andresen² (¹Bern, ²Vienne, AT)*
16:20 (6+2)	**Rebalancing symmetry and emotion in facial palsy: Measuring botulinum toxin effects with artificial intelligence** *C. Zeier¹, S. L. Müller², P. Pfister², N. Menzi², B. Tafrishi³, D. J. Schaefer², J. Plock^{1, 3}, T. Ismail², H. J. Klein^{1, 3} (¹Zurich, ²Basel, ³Aarau)*
16:28 (4+2)	**A new flap selection algorithm in head and neck reconstruction** *G. Boyadzhieva, A. R. Jandali, F. Jung, A. Franchi (Winterthur)*
16:34 (6+2)	**Alternative or modified donor sites in functional head and neck reconstruction** *T. Ismail, M. Burger, N. Menzi, I. Fulco, N. Speck, L. Muller, M. Schlumpf, C. Jaquiéry, L. Seifert, D. J. Schaefer (Basel)*



16:42 (6+2)	The SCIP–RFFF rochade: A strategic swap in donor site management <u>E. Kulakli-Inceleme, E. Fritsche (Lucerne)</u>
16:50 (6+2)	Reconstruction of cervical tracheoesophageal fistulas: Insights from a case series and contemporary flap options <u>S. L. Müller¹, P. C. Pfister¹, A. J. Lunger¹, M. Rodriguez¹, L. Muller¹, I. Fulco¹, H. J. Klein², D. J. Schaefer¹, T. Ismail¹ (¹Basel, ²Aarau)</u>
16:58 (6+2)	Robotic-assisted transoral free flap inset using a mini-pharyngotomy: Technical refinements <u>N. E. Speck, M. Rodriguez, L. Kouba, A. Lunger, P. Pfister, D. J. Schaefer, L. Muller, T. Ismail (Basel)</u>

17:15 – 17:35 Special Lecture

Plenary Sala A

17:15	Past, present and future of plastic surgery <u>Daniel V. Egloff (Lausanne)</u>
-------	--

17:45 – 19:00 General Assembly Plenary Sala A Swiss Plastic Surgery

from 19:15	Boat transfer and Networking Dinner Swiss Diamond Boutique Hotel La Romantica, Melide
-------------------	--

PROGRAM OVERVIEW



Saturday, 4 October 2025

	Atrio PT	Plenary Sala A	Sala B1
08:00		Registration	
08:30			Symposium Calista GmbH
09:00		Free Communications Research & Skills	General Assembly SWAESS
10:00		Coffee Break in the Industry Exhibition	
10:30		Free Communications Breast reconstruction & Teaching	
		Presidential Panel	
12:15			
12:30	Poster Session 3	Lunch Break in the Industry Exhibition	
13:30		Free Communications	
14:15		Free Communications Facial Aesthetics	
15:45			



Saturday, 4 October 2025

08:30 – 10:00
Plenary Sala A

Free Communications Research & Skills

Chairs: Jan A. Plock (Aarau), Isabel Arenas Hoyos (Bern)

08:30 (6+2)	Semaphorin 3A promotes the long-term persistence of human SVF-derived microvascular networks in engineered grafts <i>J. M. Schwager^{1, 2}, N. Di Maggio¹, A. Grosso¹, A. Rasadurai¹, N. Minder¹, J. A. Hubbell³, E. A. Kappos¹, D. J. Schaefer¹, P. S. Briquez⁴, A. Banfi¹, M. G. Burger¹ (¹Basel, ²Aarau, ³Chicago, US, ⁴Freiburg, DE)</i>
08:38 (6+2)	Secretome characterisation of adipose stem cells spheroids for tissue engineering applications <i>M. A. Maytайн, V. Serre-Beinier, N. Perriraz-Mayer, F. Triponez, J. Villard, D. F. Kalbermatten, S. Madduri (Geneva)</i>
08:46 (6+2)	Pro-angiogenic and antibacterial copper containing nanoparticles in PLGA/amorphous calcium phosphate bone nanocomposites <i>L. Naef, I. Mieschler, M. Calcagni, L. Pfuderer, J. Buschmann (Zurich)</i>
08:54 (6+2)	Prefabrication of an axially vascularized bone graft: Proof of concept for a BMP-2 based cell-free approach <i>M. Perrin, P. Pfister, S. Pigeot, A. Moya, G. Zhang, A. Haumer, R. Paillaud, D. J. Schaefer, T. Ismail, I. Martin, A. Scherberich (Basel)</i>
09:02 (6+2)	A customizable autologous tissue engineering strategy for bone (re)construction following the endochondral ossification pathway <i>P. Pfister¹, S. J. Jung², R. Paillaud¹, R. Schaller¹, A. Kämpfen¹, C. Jaquiéry¹, D. J. Schaefer¹, I. Martin¹, M. de Wild², A. Scherberich¹, A. Moya¹ (¹Basel, ² Muttenz)</i>
09:10 (6+2)	Minimally invasive ceramic beaded electrosurgical dissectors: Body-wide, rapid hemostatic soft tissue dissections <i>T. C. Weber¹, P. J. Weber^{2, 3}, K. P. Weber⁴ (¹Wellington, NZ, ²Basel, ³Milwaukee, US, ⁴Lausanne)</i>
09:18 (6+2)	Nanofat promotes wound healing in skin following exposure to ionizing radiation <i>E. Limido¹, A. Weinzierl^{1, 2}, E. Ampofo¹, C. E. Rübe¹, G. Tewary¹, Y. Harder³, M. D. Menger¹, M. W. Laschke¹ (¹Homburg, ²Zurich, ³Lausanne)</i>
09:26 (6+2)	Heat preconditioning of nanofat does not improve its vascularization properties <i>F. Bonomi¹, E. Limido¹, A. Weinzierl¹, C. Bickelmann¹, E. Ampofo¹, Y. Harder², M. D. Menger¹, M. W. Laschke¹ (¹Homburg, ²Lausanne)</i>
09:34 (6+2)	Soft implants for the restoration of facial movements: An in-vivo study <i>S. Konstantinidi¹, B. Arslan¹, S. Kollarik², A. Walter¹, A. Benouhiba¹, A. Weinzierl², Y. Civet¹, N. Lindenblatt², Y. Perriard¹ (¹Neuchâtel, ²Zurich)</i>



09:42 (6+2)	3D printing fingers models for multi-step complete training in hand surgery: Dissection, tendon suture and micro-sutures <u>D. Tosi</u> ¹ , D. Schmauss ¹ , C. Parodi ¹ , F. Nicolosi ² (¹ Lugano, ² Milano, IT)
09:50 (6+2)	Effectivity of peer-assisted learning in training of basic surgical skills for medical students: A multicenter study in Switzerland <u>J. Gisiger</u> ¹ , D. Hahnloser ¹ , H. Teixeira ¹ , G. Romain Joliat ¹ , V. Martin ¹ , L. Widmer ² , A. Litchinko (¹ Lausanne, ² Fribourg)
08:30 - 09:00 Sala B1	Symposium Calista GmbH
09:00 – 10:00 Sala B1	General Assembly Swiss Aesthetic Surgery
10:00 – 10:30	Coffee Break in the Industry Exhibition
10:30 – 11:20 Plenary Sala A	Free Communications Breast reconstruction & Teaching Chairs: Thomas Fischer (Bern), Anna Wang (Aarau)
10:30 (6+2)	Does prepectoral placement delay adjuvant therapies compared to retropectoral immediate implant-based breast reconstruction? A retrospective analysis <u>G. Zinner</u> ¹ , J. Martineau ¹ , G.-T. Lam ¹ , M. Tremp ^{2,3} , S. Giordano ⁴ , E. Dong ¹ , D. Kalbermatten ¹ , C. Oranges ¹ (¹ Geneva, ² Basel, ³ Cham, ⁴ Turku, FI)
10:38 (6+2)	The impact of preoperative radiotherapy and chemotherapy on autologous breast reconstruction outcomes: A retrospective single-center study <u>C. M. Nava</u> , J. Martineau, E. T. Dong, G. Zinner, C. M. Oranges (Geneva)
10:46 (6+2)	Impact of radiotherapy and mesh type on capsular fibrosis in implant-based breast reconstruction: A 7-year retrospective study <u>V. Wlach</u> , M. Todesco Bernasconi, J. Plock, A. Wang (Aarau)
10:54 (6+2)	Lymphovenous anastomosis for prevention of upper limb lymphoedema following axillary clearance: A prospective cohort study on clinical and quality of life outcomes <u>N. Naderi</u> ¹ , D. Hobday ² , B. Reed ¹ , J. Varghese ¹ , M. Kanapathy ¹ , A. Mosahebi ¹ , (¹ London, UK, ² Chelmsford, UK)
11:02 (4+2)	Are swiss plastic surgery residents ready for Entrustable Professional Activities (EPAs)? <u>A. S. Senn</u> , H. Klein, J. A. Plock, A. Wang (Aarau)
11:08 (4+2)	Mentorship in plastic surgery: Past, present and future <u>J. Stoffel</u> ² , J. Gisiger ¹ , H. Koehlein ³ , D. J. Schaefer ² , A. Rodriguez-Lorenzo ⁴ , D. Hahnloser ¹ , E. A. Kappos ² (¹ Lausanne, ² Basel, ³ Zurich, ⁴ Uppsala, SE)



11:14 (4+2)	Starting a microsurgical program in a tertiary hospital in Switzerland <u>R. Wenger, H. V. Riedmann, A. Lardi (Chur)</u>
11:20 – 12:05 Plenary Sala A	Presidential Panel Introduction of a comprehensive tariff system and the future of tariffs Chair: Mihai Constantinescu (Bern)
11:20	The view of the tariff commission Yves Harder (Lausanne)
11:30	The view of the FMH Michael Andor (Bern)
11:40	Artifical intelligence for medical codification Karen Triep (Bern)
11:50	Panel discussion Michael Andor, Bern Doris Babst, Zurich Mihai Constantinescu, Bern Karen Triep, Bern Yves Harder, Lausanne
12:15 – 13:30	Lunch Break in the Industry Exhibition
12:30 – 13:25 Industry Exhibition Poster-Station 1	Poster Session 3 Breast Aesthetic & Reconstruction Chairs: Severin Rossi (Sierre), Martina Schneider (Zurich)
12:30 (3+2)	Beyond the T-Junction: Reinforce strategic sites in superomedial pedicle mammoplasties using a dual dermal flap technique C. Dogny, M. Scampa, <u>G. Frigerio</u> , T. Membrez, P. E. Engels, D. F. Kalbermatten, D. André-Levigne (Geneva)
12:35 (3+2)	Scarless reduction mammoplasty M. Prevot (Geneva)
12:40 (3+2)	Postoperative outcomes and complications in menopausal patients after reduction mammoplasty <u>E. T. C. Dong, J. Martineau, G. Zinner, D. F. Kalbermatten, C. M. Oranges</u> (Geneva)
12:45 (3+2)	PSG algorithm for nipple-sparing, skin-reducing mastectomy: Is it safe? <u>V. Grufman¹, B. Pompei², D. Babst¹, S. Renditore¹, V. Hürlimann¹, J. Farhadi¹</u> (¹ Zurich, ² Lugano)
12:50 (3+2)	Immediate pre-pectoral implant reconstruction for silicone-induced breast siliconomas: Case report and literature review <u>V. Jacques¹, J. C. Triolo², N. A. Balagué¹</u> (¹ Sion, ² Lausanne)



12:55 (3+2)	Dermatitis following expander-based breast reconstruction after skin sparing mastectomy: Diagnostic work-up and treatment <i>D. Schmauss¹, I. Zucal¹, L. De Pellegrin², C. Parodi¹, Y. Harder³</i> (¹ Lugano, ² Bern, ³ Lausanne)
13:00 (3+2)	Round versus anatomical implants in breast reconstruction: A systematic review and meta-analysis <i>D. Correia, G. Zinner, J. Martineau, C. M. Oranges (Geneva)</i>
13:05 (3+2)	Comparing short- versus long-term quality of life following autologous or implant based breast reconstruction <i>L. Hilbig-Vlatten¹, A. D. Lariu², A. Haumer³, L. Zehnpfennig³, M. Haug³, D. J. Schaefer³, F. S. Halbeisen³, C. Appenzeller-Herzog³, E. A. Kappos³</i> (¹ Freiburg, DE, ² Cluj-Napoca, RO, ³ Basel)
13:10 (3+2)	Comparison of coupler-assisted versus hand-sewn venous anastomosis in DIEP flap breast reconstruction: A single-center retrospective study <i>M. Schellitter, E. T. Dong, G. Zinner, C. M. Oranges (Geneva)</i>
13:15 (3+2)	Analysis of postoperative outcomes in unilateral versus bilateral DIEP flap reconstructions: A single-center retrospective study <i>M. Verbat¹, B. Tekdogan², J. Martineau², E. T. Dong², D. Correia², C. M. Oranges²</i> (¹ Prague, CZ, ² Geneva)
13:20 (3+2)	Stigma experiences in children with acquired or congenital facial differences <i>J. V. Hüppi¹, O. Masnari¹, C. Schiestl¹, J. Roessler², M. A. Landolt¹, K. Neuhaus¹</i> (¹ Zurich, ² Freiburg, DE)

13:30 – 14:20 Plenary Sala A	Free Communications <i>Chairs: Clara Schaffer (Lausanne), Ilias Petrou (Geneva)</i>
13:30 (6+2)	Antibiotic prophylaxis in Plastic Surgery: A swiss cross-sectional survey of practice variation and uncertainty among surgeons and infectious disease specialists <i>K. Antonov¹, T. Dörr¹, Y. Martin², N. Wassilew², D. Vuichard-Gysin³, B. Wiggl⁴, S. P. Kuster¹, C. Strahm¹, P. Kohler¹, V. J. Schmidt¹</i> (¹ St. Gallen, ² Bern, ³ Münsterlingen, ⁴ Baden)
13:38 (4+2)	Extended VRAM flap for lower truncal reconstruction: A case series and technical considerations <i>R. Ipakchi, L. De Pellegrin, R. Olariu, M. Constantinescu (Bern)</i>
13:44 (6+2)	Perforator versus non-perforator flap for perineal reconstruction: Long-term comparison of complications and quality of life <i>S. Wendelspiess¹, J. T. Sandstedt^{1, 2}, J. Stoffel¹, N. Menzi¹, M. Burger¹, F. S. Halbeisen¹, I. Lese², T. Ismail¹, A. Fabi¹, L. Kouba¹, D. J. Schaefer¹, E. A. Kappos¹</i> (¹ Basel, ² Bern)
13:52 (6+2)	A single-center retrospective observational study on 106 consecutive lipedema surgeries: Defining the ideal surgical approach <i>M. Thiry¹, L. Schiraldi¹, M. Guiotto², L. Mazzolai¹, P. G. Di Summa¹</i> (¹ Lausanne, ² Sierre)



14:00 (6+2)	Single-center experience with 160 cases of robotic-assisted micro- and supermicrosurgery using the Symani® Surgical System <i>J. A. Watson, C. E. Zurfluh, D. von Reibnitz, S. Könneker, L. Hofmann, B.-S. Kim, P. Giovanoli, N. Lindenblatt (Zurich)</i>
14:08 (6+2)	Vascularized lymph node transfer versus lymphaticovenous anastomosis in chronic lymphedema: Comparing the effectiveness of microsurgical treatment over time in upper versus lower extremities <i>A. Fabi¹, K. Seidenstücker², S. R. Wendelspiess¹, Y. Haas¹, J. Stoffel¹, C. Kettelhack¹, B. Müller¹, F. S. Halbeisen¹, D. J. Schaefer¹, A. A. Ghazaleh², B. Vasselli², B. Aufmesser-Freyhardt², C. Andree², E. A. Kappos¹</i> (¹ Basel, ² Düsseldorf, DE)

14:20 – 15:45	Free Communications
Plenary Sala A	Facial Aesthetic Chairs: Michele Zanzi (Lausanne), Martino Meoli (Lugano)
14:20 (10)	Deep plane facelift and release of the retaining ligaments to achieve a long-lasting natural result in facial rejuvenation <i>H. Fansa (Zollikerberg)</i>
14:30 (15)	Do we have a standard technique for facelift? <i>Martino Meoli (Lugano), Michele Zanzi (Lausanne)</i>
14:45 (20)	Round Table Discussion <i>Martino Meoli (Lugano), Michele Zanzi (Lausanne)</i>
15:05 (4+2)	Artificial Intelligence assessment of emotional expression and age analysis following aesthetic botulinum toxin injections <i>M. Rodriguez¹, P. Pfister¹, S. L. Müller¹, N. Menzi¹, D. J. Schaefer¹, H. J. Klein², T. Ismail¹ ('Basel, ²Aarau)</i>
15:11 (6+2)	The impact of arterial hypertension in upper blepharoplasty for dermatochalasis: A comparative study <i>J. A. Viscardi^{1, 2}, S. Giordano² ('Geneva, ²Turku, FI)</i>
15:19 (6+2)	Direct neck lift: Evaluating surgical techniques and patient selection <i>S. Spennato, M. Meoli (Lugano)</i>
15:27 (4+2)	Custom tricalcium phosphate implants in septorhinoplasty for cleft lip and palate patients <i>S. Uyulmaz¹, F. Reinauer², A. Aksu², M. Soyka¹, H. Essig¹, N. Lindenblatt¹ ('Zurich, ²Tuttlingen, DE)</i>
15:33 (4+2)	Autologous adipose tissue transfer in progressive hemifacial atrophy: From simple volume to regenerative cell therapy <i>V. Mégevand, M. Scampa, D. F. Kalbermatten, D. André-Lévigne (Geneva)</i>
15:39 (4+2)	Topical application of tranexamic acid in abdominoplasties leads to lower drainage volume and earlier drain removal <i>C. Parodi¹, I. Zucal², D. Schmauss¹, D. Brucato², M. De Monti¹, L. De Pellegrin³, R. Schweizer⁴, Y. Harder² ('Lugano, ²Lausanne, ³Bern, ⁴Lucerne)</i>

SAVE
THE
DATE!



Photo: © Bern Welcome

03. – 05. 09. 2026
BernExpo, Bern

**EUROPEAN CONGRESS FOR PLASTIC,
RECONSTRUCTIVE & AESTHETIC SURGERY**

UNITED IN THE HEART OF EUROPE

ESPRAS Quadrennial
Congress 2026



62nd Annual Meeting
Swiss Plastic Surgery

PROFILO® STRUCTURA



WHERE OTHERS SEE HYALURONIC ACID,
WE SEE BEAUTY BEYOND THE SURFACE.

From IBSA's experience with hyaluronic acid comes PROFHILO® STRUCTURA: the new frontier of adipose tissue restoration in response to aging.

The only stable Hybrid Cooperative Complexes (HCC) of high and low molecular weight Ultrapure Hyaluronic Acid in very high concentration, produced with NAHYCO® Technology — a unique and innovative thermal production process patented by IBSA.

The PROFHILO® product range includes other injectables: PROFHILO® and PROFHILO® BODY, as well as skincare products to complete aesthetic treatments at home.

MEET US
AT BOOTH 12
AND JOIN
OUR SYMPOSIUM
ON FRIDAY, 16:00

IBSA DERMA. BEAUTY BEYOND STANDARDS.





CONGRESS ORGANISATION

Meister ConCept GmbH
Bahnhofstrasse 55
CH-5001 Aarau

T +41 62 836 20 46
info@plasticsurgery.ch

www.meister-concept.ch